

HOT SELLING OVENS




FIND THE PERFECT OVEN FOR YOUR BAKERY

Need The Best Convection Oven Just Book At **Aroma Bake Equipment**



BOOK NOW



Contact Us
+91-8377000111

Visit Our Website

www.aromabake.com



AROMA
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY



XFO23
Anna

LINEMICRO™ MANUAL
COUNTERTOP
Convection

4 460x330 trays

electric - 230 V



XFT133
Arianna

BAKERLUX™ & LINEMISS™ MANUAL
COUNTERTOP
Convection

4 460x330 trays

electric - 230 V



XF043
Domenica

LINEMICRO™ MANUAL
COUNTERTOP
Convection

4 600x400 trays

electric - 400 V



XFT193
Rossella

BAKERLUX™ & LINEMISS™ MANUAL
COUNTERTOP
Convection

4 600x400 trays

electric - 400 V



XEFR-04HS-ELDP
Arianna

BAKERLUX SHOP.Pro™ LED
COUNTERTOP
Convection with humidity

4 460x330 trays

electric - 230 V



XEFR-04HS-ELDV
Arianna

BAKERLUX SHOP.Pro™ LED
COUNTERTOP
Convection with humidity

4 460x330 trays

electric - 230 V



XEFR-06EU-ELRV
Vittoria.Matic

BAKERLUX SHOP.Pro™ LED
COUNTERTOP
Convection with humidity

6 600x400 trays

electric - 400 V



XEFR-10EU-ELRV
Camilla.Matic

BAKERLUX SHOP.Pro™ LED
COUNTERTOP
Convection with humidity

10 600x400 trays

electric - 400 V



XB613G

BAKERLUX™ & LINEMISS™ MANUAL
COUNTERTOP
Convection

6 600x400 trays

gas



XB813G

BAKERLUX™ & LINEMISS™ MANUAL
COUNTERTOP
Convection

10 600x400 trays

gas



Convection Ovens



AROMA
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens

LINEMICRO™ MANUAL

Product specifications

Type
**Commercial
convection ovens**

Trays
4 trays 460x330

Panel
Knob

Power supply
Electric

Dimensions

Width
600 mm

Depth
587 mm

Height
472 mm

Weight
22 kg

Power supply

Voltage
220-240V 1~

Electric power
3 kW

Frequency
50 Hz



CODE: XF023
ANNA

- TYPE : COMMERCIAL CONVECTION OVEN
- TRAY : 4TRAY
- TRAY SIZE : 460x330mm
- POWER SUPPLY : ELECTRIC



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial Convection Oven With Humidity

BAKERLUX™ & LINEMISS™

MANUAL

Arianna

Dimensions

Width	Depth
600 mm	655 mm
Height	Weight
509 mm	31 kg

Trays specifications

Number of trays	Tray size
4	460x330

Distance between trays
75 mm

Power supply

Voltage	Electric power
220-240V 1N~	3 kW
Frequency	
50 Hz	



CODE :XFT 133

- TYPE : COMMERCIAL CONVECTION OVEN WITH HUMIDITY
- TRAY : 4TRAY
- TRAY SIZE : 430x330mm
- POWER SUPPLY : ELECTRIC



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens

LINEMICRO™ MANUAL

Dimensions

Width	Depth
800 mm	707 mm
Height	Weight
472 mm	44 kg

Trays specifications

Number of trays	Tray size
4	600x400
Distance between trays	
70 mm	

Power supply

Voltage	Electric power
380-415V 3N~ / 220-240V 3~ / 220-240V 1~	5 kW
Frequency	
50 Hz	



CODE: XF043
DOMENICA

- TYPE : COMMERCIAL CONVECTION OVEN
- TRAY : 4TRAY
- TRAY SIZE : 600x400mm
- POWER SUPPLY : ELECTRIC



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial Convection Oven With Humidity

BAKERLUX™ & LINEMISS™

MANUAL

Dimensions

Width	Depth
800 mm	774 mm
Height	Weight
509 mm	49 kg



Trays specifications

Number of trays	Tray size
4	600x400

Distance between trays
75 mm

Power supply

Voltage	Electric power
380-415V 3N~ / 220-240V 3~ / 220-240V 1~	6 kW
Frequency	
50 Hz	

CODE :XFT 193
Rossella

- TYPE : COMMERCIAL CONVECTION OVEN WITH HUMIDITY
- TRAY : 4TRAY
- TRAY SIZE : 600x400mm
- POWER SUPPLY : ELECTRIC



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens with humidity

BAKERLUX SHOP.Pro™ LED

Product specifications

Dimensions

Width	Depth
600 mm	669 mm
Height	Weight
500 mm	39 kg

Trays specifications

Number of trays	Tray size
4	460x330
Distance between trays	
75 mm	

Power supply

Voltage	Electric power
220-240V 1~	3,5 kW
Frequency	
50 / 60 Hz	



Code : XEFR-04HS-ELDP
Commercial Name : Arianna

Type	Trays
Commercial convection ovens with humidity	4 trays 460x330
Panel	Power supply
Control panel with 7-segment display	Electric



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens with humidity

BAKERLUX SHOP.Pro™ LED

Product specifications

Dimensions

Width	Depth
600 mm	669 mm
Height	Weight
500 mm	39 kg

Trays specifications

Number of trays	Tray size
4	460x330
Distance between trays	
75 mm	

Power supply

Voltage	Electric power
220-240V 1~	3,5 kW
Frequency	
50 / 60 Hz	



Code : XEFR-04HS-ELD^V
Commercial Name : Arianna

Type	Trays
Commercial convection ovens with humidity	4 trays 460x330
Panel	Power supply
Control panel with 7-segment display	Electric



AROMA[®]
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens with humidity

BAKERLUX SHOP.Pro™ LED

Product specifications

Dimensions

Width	Depth
800 mm	811 mm
Height	Weight
682 mm	72 kg

Trays specifications

Number of trays	Tray size
6	600x400
Distance between trays	
75 mm	

Power supply

Voltage	Electric power
380-415V 3N~ / 220-240V 3~	1033 kW
Frequency	
50 / 60 Hz	



Code: XEFR-06EU-ELRV

Commercial name: Vittoria.Matic

Type	Trays
Commercial convection ovens with humidity	6 trays 600x400
Panel	Power supply
Control panel with 7-segment display	Electric



AROMA®
BAKE EQUIPMENT

AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens with humidity

BAKERLUX SHOP.Pro™ LED

Product specifications

Dimensions

Width	Depth
800 mm	811 mm
Height	Weight
952 mm	96 kg

Trays specifications

Number of trays	Tray size
10	600x400
Distance between trays	
75 mm	

Power supply

Voltage	Electric power
380-415V 3N~ / 220-240V 3~	15,5 kW
Frequency	
50 / 60 Hz	



Code: XEFR-10EU-ELRV

Commercial name: Camilla.Matic

Type	Trays
Commercial convection ovens with humidity	10 trays 600x400
Panel	Power supply
Control panel with 7-segment display	Electric



AN ISO 9001:2015 CERTIFIED COMPANY

Commercial convection ovens with humidity

BAKERLUX™ & LINEMISS™ **MANUAL**

Product specifications

Dimensions

Width	Depth
860 mm	882 mm
Height	Weight
1144 mm	100 kg

Trays specifications

Number of trays	Tray size
6	600x400
Distance between trays	
80 mm	

Power supply

Voltage	Electric power
220-240V 1~	0,7 kW
Frequency	Nominal gas power max.
50 / 60 Hz	17.5 kW



Code : XB613G

Type	Trays
Commercial convection ovens with humidity	6 trays 600x400
Panel	Power supply
Knob	Gas

Commercial convection ovens with humidity

BAKERLUX™ & LINEMISS™ **MANUAL**

Product specifications

Dimensions


Width	Depth
860 mm	882 mm
Height	Weight
1465 mm	130 kg

Trays specifications

Number of trays	Tray size
10	600x400
Distance between trays	
80 mm	

Power supply

Voltage	Electric power
220-240V 1~	1 kW
Frequency	Nominal gas power max.
50 / 60 Hz	20 kW



Code : XB813G

Type	Trays
Commercial convection ovens with humidity	10 trays 600x400
Panel	Power supply
Knob	Gas

XEFR-04HS-ELDP

XEFR-04EU-ETLV

HS = HALF SIZE (13X18INCH)

EU = EUROPEAN SIZE (16X24INCH)

04 = 4 NOS

G = Gas

D = Drop Down

L = Left Open Door

T = TOUCH TYPE

L = Led TYPE

P = PUMP

V = Valve

E = Electric

Code : XB813G

