

HEATED HOLDING SOLUTIONS | ALTO-SHAAM.



Solutions that **advance your business.**

When you're faced with challenges, trust Alto-Shaam to deliver solutions and support when and where you need it. Our equipment systems are designed to add value to your business, helping create superior food experiences that drive long-term profitability. We pioneer equipment that is intuitive and dependable—giving you the confidence and support you need to embrace changes in rapidly evolving markets.

With headquarters and manufacturing in Menomonie Falls, Wisconsin, Alto-Shaam proudly provides foodservice equipment solutions made in the USA to more than 90 countries globally.



A better way to win the battle against time.

Anyone who has ever been in a commercial kitchen knows that the clock can be the ultimate enemy. There's either not enough time — or there's far too much. The right heated holding solution can help you win the battle against time.

But not all solutions are the same. Other heated holding technologies use fans to distribute heat that is usually too hot and harsh, which degrades food quality by removing moisture and flavor.

At Alto-Shaam, we know that heated holding is a necessity in every professional foodservice operation. That's why our founder worked so hard to invent and perfect a solution. Looking for a way to meet the needs of his customers and keep food hot for delivery, Jerry Maahs introduced Halo Heat® technology to the industry.

Halo Heat uses unique thermal cables to provide gentle, radiant heat to food — for the highest quality. Now you can stop watching the clock, and focus on serving the best to customers. Just like Jerry did.

Limitations with other technology



Harsh heating elements
such as cal rods, overcook food
and vary in temperature reaching
up to 350°F [175°C].



Fans
within other hot holding
dry out food.



Added humidity
and water degrade food quality
and increase operating costs.

Better food quality.

Say goodbye to overcooked and dried out food. Alto-Shaam's Halo Heat® technology provides better food quality. A unique thermal cable provides gentle, radiant heat that evenly surrounds food without the use of extremely hot elements, added humidity or fans.

When holding food for an upcoming service or merchandising product, Alto-Shaam's equipment with Halo Heat technology is designed to make time stand still for optimal product quality. This allows for food preparation outside of busy service times, flexibility and less waste.

Gentle, low-temperature heat keeps food full of moisture and flavor. So once items are perfectly cooked, they stay perfectly cooked.

Why Halo Heat®?


Features a low-density thermal cable that is wrapped around the sides and bottom of the holding cavity.



No water or added humidity needed. Food retains its natural moisture.



Gentle heat is distributed evenly throughout the holding cavity.



Thermal cable emits even, temperatures and pulses on and off throughout the holding process.

Sealed, static cooking environment traps natural flavor and juices, reducing shrink, improving food quality and extending hold life.

Thermal cable provides precise temperatures with minimal intensity, leaving food full of moisture and flavor.



No fans or harsh heating elements to degrade food quality.

Quality-focused heated holding.

Designed with pioneering Halo Heat® technology, Alto-Shaam Heated Holding solutions keep prepared food warm and full of flavor for hours. The result? Operators save money, time and energy, while satisfying their customers with unparalleled food quality.

COST SAVINGS

Expand Menus.

Prepare food hours before serving, and hold it at the optimal temperature for the best quality and taste.

Reduce Labor Costs.

Set it and forget it. With intuitive controls and simple operation, come back to food that is held to perfection.

Save Energy.

Equipment costs less than \$2 per day to operate.

Maintain Food Quality and Reduce Waste.

Keep product at its perfect serving temperature for hours without overcooking or drying out, leading to product waste.

Waterless Design.

Reduces installation and operating costs with no plumbing, drains, filtration or associated maintenance.



Further reduce energy usage and water consumption with ENERGY STAR® certified models.



PURPOSEFUL DESIGN

Easy to Operate.

Manage heat controls with accuracy and confidence.

No Heat Loss.

Cabinets sense rapid changes in temperature and automatically compensate for heat loss when the door is opened.

Digital Display.

Ensure optimal holding temperatures with a clear, easy-to-read display.

Stackable Designs.

Cabinets and drawers easily stack for greater flexibility and convenience while saving space.

Easy to Clean.

Simply remove shelves and wipe clean.

Made in the USA.

With a commitment to quality.

Consistent, Even Heat.

Halo Heat technology provides controlled, uniform heat throughout the holding process.

Heated Holding | Single Compartment Cabinets



300-S

The 300-S is made for small spaces, from food trucks to compact commercial kitchens. Tight temperature clearances and even heat distribution adds efficiency to your operation. The stackable, portable and ventless design helps optimize any small space.

MAXIMUM PAN CAPACITY		DIMENSIONS H x W x D
2 Full-Size Steam Table Pans 4" or	3 Full-Size Steam Table Pans 2-1/2" or	18-3/8" x 17-7/16" x 25-3/8" (466mm x 443mm x 645mm)
2 GN 1/1 100mm or	3 GN 1/1 65mm	
VOLTAGES		120V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
SHIPPING WEIGHT		125 lb (57 kg)
NET WEIGHT		65 lb (29 kg)

500-S

The 500-S fits right where you need it most—under the counter or stacked with an identical model or Cook & Hold Oven. For added convenience, the 500-S can be taken anywhere you need with casters that provide mobility.

MAXIMUM PAN CAPACITY		DIMENSIONS H x W x D
3 Full-Size Steam Table Pans 4" or	6 Full-Size Steam Table Pans 2-1/2" or	31-7/8" x 19" x 26-9/16" (809mm x 483mm x 675mm)
6 GN 1/1 65mm or	3 GN 1/1 100mm or	
11 Half-Size Sheet Pans		
VOLTAGES		120V, 1Ph, 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
SHIPPING WEIGHT		150 lb (68 kg)
NET WEIGHT		110 lb (50 kg)
PRODUCT CAPACITY		60 lb (27 kg)



750-S †

One of our most popular models, the 750-S is available in both reach-in and pass-through configurations for versatile access to held foods. Put it where it's most needed – under the counter or stacked with other models to maximize space. Casters provide mobility to any space needing high quality, held food.

MAXIMUM PAN CAPACITY		DIMENSIONS H x W x D
4 Full-Size Steam Table Pans 6" or	10 Full-Size Steam Table Pans 2-1/2" or	31-7/8" x 26-5/8" x 31-3/8" (809mm x 676mm x 797mm)
4 GN 1/1 150mm or	6 GN 1/1 100mm or	
10 GN 1/1 65mm or	6 Full-Size Sheet Pans*	
VOLTAGES		120V, 1Ph, 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
SHIPPING WEIGHT		228 lb (103 kg)
NET WEIGHT		157 lb (71 kg)
PRODUCT CAPACITY		120 lb (54 kg)

* Additional shelves required



1000-S †

The 1000-S original half-size holding cabinet is a top performer. The gentle low-temperature heat ensures food is hot and flavorful, while reducing waste due to overcooking or drying out. Optimize your space with a number of stacking configurations.

MAXIMUM PAN CAPACITY		DIMENSIONS H x W x D
4 Full-Size Steam Table Pans 2-1/2" or	4 GN 1/1 65mm* or	40-3/8" x 23-1/2" x 31-9/16" (1025mm x 597mm x 801mm)
8 Full-Size Sheet Pans		
VOLTAGES		120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
SHIPPING WEIGHT		223 lb (101 kg)
NET WEIGHT		175 lb (79 kg)
PRODUCT CAPACITY		120 lb (54 kg)

* Additional shelves required



1200-S †

The 1200-S has a higher capacity with the same high quality delivered by Halo Heat technology. With reach-in or pass-through configurations, options for digital or manual timers, and a stackable design, this model can be set up to meet your needs—whatever they may be.

MAXIMUM PAN CAPACITY		DIMENSIONS H x W x D

Heated Holding | Double Compartment Cabinets



1000-UP † (Also available with window door)

The 1000-UP features two holding cabinets in a vertical design with individual cabinet controls for precise, heated holding. The digital controls sense rapid changes in temperature, and immediately compensate for heat loss when a door is opened. It's twice the capacity, with all the high-quality food you expect.

MAXIMUM PAN CAPACITY (PER COMPARTMENT)	DIMENSIONS H x W x D
4 Full-Size Steam Table Pans 2-1/2** or 4 GN 1/1 65mm* or 8 Full-Size Sheet Pans	75-13/16" x 23-15/16" x 32-1/16" (1924mm x 608mm x 804mm)
NET WEIGHT	360 lb (163 kg)
PRODUCT CAPACITY	282 lb (128 kg)
VOLTAGES	120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
*Optional shelves required	



1200-UP †

With two individually-controlled cabinets, the 1200-UP was designed to help you hold more, with less effort, while reducing footprint in the kitchen. Precision controls and precise technology ensure that food is held at exactly the right temperature until it's time to be served.

MAXIMUM PAN CAPACITY (PER COMPARTMENT)	DIMENSIONS H x W x D
WITH PAN SLIDES 16 Full-Size Steam Table Pans 2-1/2** or 8 Full-Size Steam Table Pans 4" or 8 Full-Size Steam Table Pans 6" or 16 GN 1/1 65mm* or 8 GN 1/1 100mm or 8 GN 1/1 150mm or 16 Full-Size Sheet Pans*	75-13/16" x 26-7/16" x 32-3/16" (1924mm x 671mm x 817mm)
NET WEIGHT	393 lb (178 kg)
PRODUCT CAPACITY	333 lb (151 kg)
PRODUCT CAPACITY	192 lb (87 kg) per compartment
VOLTAGES	120V, 1Ph, 60Hz 208V, 1Ph, 60Hz 240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz
*With additional sets of pan slides **Optional shelves required	



750-CTUS †

While Halo Heat® technology precisely manages low-temperature holding for the highest quality food, the French doors allow convenient access, minimal clearance and reduced heat loss. Flexible installation can be placed under the counter, on the countertop, or on casters for mobility.

MAXIMUM PAN CAPACITY	DIMENSIONS H x W x D
6 Full-Size Steam Table Pans 2-1/2** or 6 GN 1/1 Pans 65mm* or 6 Full-Size Sheet Pans	27-3/4" x 30-1/8" x 26-3/8" (705mm x 765mm x 670mm)
SHIPPING WEIGHT	195 lb (88 kg)
NET WEIGHT	141 lb (64 kg)
PRODUCT CAPACITY	48 lb (22 kg)
*Additional shelves required	

PAN DIMENSIONS	
* Steam Table Pans = (20 x 12 x 2-1/2)	* Full-Size Sheet Pans = (18 x 26 x 1)
* Half-Size Sheet Pans = (18 x 13 x 1)	* GN 1/1 Pans = (150mm x 325mm x 65mm)



† This oven has earned the ENERGY STAR from the U.S. Environmental Protection Agency.

Heated Holding | **Drawer Warmers**

500-1D, -2D, -3D

Alto-Shaam drawer warmers are available in one-, two- and three-drawer configurations to fit any kitchen layout where food needs to be held and within arms reach. Using Halo Heat® technology, prepared food is kept hot and fresh without the use of added water or harsh heating elements. Flexible configurations available. Build into cabinets or counters, or stack to maximize space.

PRODUCT CAPACITY (PER DRAWER)	MAXIMUM PAN CAPACITY (PER DRAWER)	DIMENSIONS (H x W x D)
41 lb (19 kg) maximum	1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm	500-1D 11-5/8" x 24-5/8" x 25-7/8" (296mm x 624mm x 657mm)
VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz		500-2D 18-15/16" x 24-5/8" x 25-7/8" (481mm x 624mm x 657mm)
		500-3D 26-1/8" x 24-5/8" x 25-7/8" (664mm x 624mm x 657mm)



500-3D

500-1DN, -2DN, -3DN

Narrow one-, two- and three-drawer warmers are built with a slim design to fit any kitchen layout where food needs to be held and within arms reach. Using Halo Heat® technology, prepared food is kept hot and fresh without the use of added water or harsh heating elements. Flexible configurations available. Build into cabinets or counters, or stack to maximize space.

PRODUCT CAPACITY (PER DRAWER)	MAXIMUM PAN CAPACITY (PER DRAWER)	DIMENSIONS (H x W x D)
41 lb (19 kg) maximum	1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm	500-1DN 11-5/8" x 16-11/16" x 31-3/16" (296mm x 423mm x 792mm)
VOLTAGES 120V, 1Ph, 50/60Hz 208-240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz		500-2DN 18-15/16" x 16-11/16" x 31-3/16" (481mm x 423mm x 792mm)
		500-3DN 26-1/8" x 16-11/16" x 31-3/16" (664mm x 423mm x 792mm)



500-3DN

500-2DI (Individual Temperature Controls)

Designed for durability and deliciousness, the 500-2DI can fit any kitchen layout where food needs to be held and within arm's reach. Using Halo Heat® technology, prepared food is kept hot and fresh without the use of added water, fans or harsh heating elements. Individual controls for each drawer allow food to be held at the optimal temperature. Flexible configurations available. Build into cabinets or counters, or stack to maximize space.

PRODUCT CAPACITY (PER DRAWER)	MAXIMUM PAN CAPACITY (PER DRAWER)	DIMENSIONS (H x W x D)
41 lb (19 kg) maximum	1 Full-Size Steam Table Pan 6" or 1 GN 1/1 Pan 152mm	500-2DI 19-15/16" x 24-5/8" x 25-7/8" (491mm x 624mm x 657mm)



500-2DI

Heated Holding | **Mobile Heated Banquet Carts**

Banquet carts are built to handle the most challenging of events, guaranteeing every banquet service with perfectly held food. Complete with Halo Heat® technology and adaptable storage for everything from covered plates to plate carriers to trays and full- or half-size pans. These mobile banquet carts are ready to work as hard as you do.

1000-BQ2/96



1000-BQ2/96

MAXIMUM CAPACITY	DIMENSIONS H x W x D
Plates (96) 9" to 10" Plates (96) 229mm to 254mm Plates	67-5/8" x 37-15/16" x 30-13/16" (1716mm x 964mm x 783mm)
Pans (32) Full-Size Steam Table Pans 2-1/2" or (32) GN 1/1 65mm	SHIPPING WEIGHT 415 lb (188 kg)
VOLTAGES 120V, 1Ph, 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz	NET WEIGHT 322 lb (146 kg)
	PRODUCT CAPACITY 240 lb (109 kg)

1000-BQ2/128



1000-BQ2/96
Shown with split door option

MAXIMUM CAPACITY	DIMENSIONS H x W x D
Plates (128) 9" to 10" Plates (128) 229mm to 254mm Plates	67-5

Heated Holding | Combimate® Companion Warmers

The Ultimate sidekick. Combimate heated holding cabinets complete the banqueting system and are compatible with roll-in Combitherm® ovens and roll-in QuickChiller™ blast chillers. Advanced service plating and staging means you can work smarter, not harder, to provide high quality meals to guests.



20-20 MW

20-20 MW (MOBILE WARMER)

MAXIMUM PAN CAPACITY 40 Full-Size Steam Table Pans 2-1/2" or 40 GN 1/1 Pans 65mm 20 Full-Size Sheet Pans*	DIMENSIONS H x W x D 74-3/4" x 35" x 41-5/16" (1898mm x 888mm x 1049mm)
	SHIPPING WEIGHT 538 lb (244 kg)
VOITAGES 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz	NET WEIGHT 419 lb (190 kg)
	PRODUCT CAPACITY 480 lb (218 kg)

*Additional shelves required



20-20 W

20-20 W (STATIONARY WARMER)

MAXIMUM PAN CAPACITY 40 Full-Size Steam Table Pans 2-1/2" or 40 GN 1/1 Pans 65mm 20 Full-Size Sheet Pans*	DIMENSIONS H x W x D 74-3/4" x 32-1/16" x 41" (1898mm x 830mm x 1039mm)
	SHIPPING WEIGHT 538 lb (244 kg)
VOITAGES 208V, 1Ph, 50/60Hz 240V, 1Ph, 50/60Hz 230V, 1Ph, 50/60Hz	NET WEIGHT 419 lb (190 kg)
	PRODUCT CAPACITY 480 lb (218 kg)

*Additional shelves required





AN ISO 9001:2015 CERTIFIED COMPANY

ALTO-SHAAM®

+91-8377000111

ALTO-SHAAM®
FOODSERVICE EQUIPMENT

Authorised Distributor in India
Aroma Bake India
COMPLETE KITCHEN EQUIPMENT SOLUTIONS

HEATED HOLDING CABINETS

KEEP FOOD BETTER. SERVE WITH CONFIDENCE.



**HALO HEAT®
TECHNOLOGY**
Gentle. Uniform.
Consistent.



**SUPERIOR
FOOD QUALITY**
Retains Moisture
& Flavour



**EFFICIENCY
IN SERVICE**
Prepare in Advance.
Serve Anytime.



**VERSATILE
SOLUTIONS**
From Restaurants
to Banquets



**BUILT FOR
PROFESSIONALS**
Reliable. Durable.
Trusted Worldwide.



FOOD
HOLDS
POSSIBILITIES®

*From
Preparation
to Perfection*



RESTAURANTS



HOTELS



PROFESSIONAL