



HOSHIZAKI



STAINLESS
STEEL SERIES

UPRIGHT CHILLER / FREEZER

CHILLER

FREEZER



Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:




HFWH77MS4 / LS4

Volume: 628 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 4 nos. of shelves




Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 8 nos. of shelves

Product Variation:



HFWH127MS4 / LS4

Volume: 1119 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 8 nos. of shelves



Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 8 nos. of shelves

Product Variation:



HFWH147MS4 / LS4

Volume: 1365 Liters
Dimensions (with 90mm leg): 1400 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 8 nos. of shelves






HRW-187MS4 / LS4

Volume: 1720 Liters
Dimensions (with 90mm leg): 1800 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to +12°C
Shelf: 12 nos. of shelves


Product Variation:



Basic Model Basic Long Door

HFW-187MS4 / LS4

Volume: 1720 Liters
Dimensions (with 90mm leg): 1800 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 12 nos. of shelves



Basic Model Basic Long Door

UPRIGHT COMBI



HRFWH77MS4 / LS4

Volume: Freezer: 305 Liters
 Chiller: 305 Liters
Dimensions (with 90mm leg): 700 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: Freezer: -16°C to -25°C
 Chiller: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



Basic Model GN Suitable

HRFWH127MS4 / LS4

Volume: Freezer: 510 Liters
 Chiller: 510 Liters
Dimensions (with 90mm leg): 1200 (W) x 818 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: Freezer: -7°C to -25°C
 Chiller: -2°C to 12°C
Shelf: 8 nos. of shelves



Basic Model Basic Long Door

LONG GLASS UNITS



HRWH77LS4-LG

Volume: 628 Liters
Dimensions: 700 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 4 Shelves



HRWH127LS4-LG

Volume: 1119 Liters
Dimensions: 1200 (W) x 818 (D) x 2050 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Door / Shelf: Full Glass Door - 8 Shelves

STATIC RANGE



HRW-76

Volume:
Dimensions (with 90mm leg):
Power Supply:
Temperature Range
Shelf:
Product Variations:

507 Liter
 680 (W) x 760 (D) x 1890
 230V AC / 50 Hz
 -2°C to 12°C
 4 Nos
 Basic Model



HRW-126

988 Liter
 1220 (W) x 760 (D) x 1890
 230V AC / 50 Hz
 -2°C to 12°C
 8 Nos
 Basic Model



RTSW97MS4-GNTE

Volume:
Dimensions (with Castors):
Power Supply:
Temperature Range:
Shelf:

270 Liters
 900 (W) X 700 (D) X 1056 (H)
 230V AC / 50 Hz
 -2°C to 8°C
 4 nos. of shelves / 4 rail sets



RTSW137MS4-GNTE

417 Liters
 1350 (W) X 700 (D) X 1056 (H)
 230V AC / 50 Hz
 -2°C to 8°C
 6 nos. of shelves / 6 rail sets


DRAWER SERIES



RTDW137MS4-33

Volume: 305 Liters
Dimensions (with 150mm leg): 1300 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: NA


Product Variation:



RTDW187MS4-333

Volume: 461 Liters
Dimensions (with 150mm leg): 1765 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: NA

Product Variation:



UNDER COUNTER CHILLER / FREEZER




Volume: 171 Liters
Dimensions (with 150mm leg): 700 (W) x 755 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 2 nos. of shelves

Product Variation:



Volume: 306 Liters
Dimensions (with 150mm leg): 1200 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



Volume: 233 Liters
Dimensions (with 150mm leg): 1200 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



Volume: 418 Liters
Dimensions (with 150mm leg): 1500 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



Volume: 318 Liters
Dimensions (with 150mm leg): 1500 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



CHILLER


RTWH70MS4 / LS4

171 Liters
 700 (W) x 755 (D) x 850 (H)
 230V AC / 50Hz
 -2°C to 12°C
 2 nos. of shelves



RTWH120MS4 / LS4

306 Liters
 1200 (W) x 750 (D) x 850 (H)
 230V AC / 50Hz
 -2°C to 12°C
 4 nos. of shelves



RTWH126MS4 / LS4

233 Liters
 1200 (W) x 600 (D) x 850 (H)
 230V AC / 50Hz
 -2°C to 12°C
 4 nos. of shelves



RTWH150MS4 / LS4

418 Liters
 1500 (W) x 750 (D) x 850 (H)
 230V AC / 50Hz
 -2°C to 12°C
 4 nos. of shelves



RTWH156MS4 / LS4


318 Liters
 1500 (W) x 600 (D) x 850 (H)
 230V AC / 50Hz
 -2°C to 12°C
 4 nos. of shelves



FREEZER

FTWH70MS4 / LS4

171 Liters
 700 (W) x 755 (D) x 850 (H)
 230V AC / 50Hz
 -7°C to -23°C
 2 nos. of shelves




FTWH120MS4 / LS4

306 Liters
 1200 (W) x 750 (D) x 850 (H)
 230V AC / 50Hz
 -7°C to -23°C
 4 nos. of shelves




FTWH126MS4 / LS4

233 Liters
 1200 (W) x 600 (D) x 850 (H)
 230V AC / 50Hz
 -7°C to -23°C
 4 nos. of shelves



FTWH150MS4 / LS4

418 Liters
 1500 (W) x 750 (D) x 850 (H)
 230V AC / 50Hz
 -7°C to -23°C
 4 nos. of shelves



FTWH156MS4/LS4

318 Liters
 1500 (W) x 600 (D) x 850 (H)
 230V AC / 50Hz
 -7°C to -23°C
 4 nos. of shelves



• LS4 INDICATES LED (OPTIONAL)

CHILLER

FREEZER



RTWH127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

Product Variation:



FTWH127MS4-GN / LS4-GN

Volume: 282 Liters
Dimensions (with 150mm leg): 1200 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 4 nos. of shelves



RTWH177MS4-GN / LS4-GN


Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



FTWH177MS4-GN / LS4-GN

Volume: 436 Liters
Dimensions (with 150mm leg): 1660 (W) x 700 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



RTWH180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



FTWH180MS4 / LS4

Volume: 526 Liters
Dimensions (with 150mm leg): 1800 (W) x 750 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



RTWH186MS4 / LS4


Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 6 nos. of shelves

Product Variation:



FTWH186MS4 / LS4

Volume: 400 Liters
Dimensions (with 150mm leg): 1800 (W) x 600 (D) x 850 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -23°C
Shelf: 6 nos. of shelves



BACK BAR REFRIGERATOR

CHILLER



Volume:	226 Liters
Dimensions (mm):	900 (W) x 561 (D) x 900 (H)
Power Supply:	230V AC / 50Hz
Temperature Range:	0°C to +10°C
Shelf:	4 nos.
Refrigerant:	R-290 / 50 gram
Compressor Capacity:	262W
Temperature Control:	Thermostat
Bottle Loading:	153 nos. Pint bottles

RBWH95



Volume:	349 Liters
Dimensions:	1350 (W) x 561 (D) x 900 (H)
Power Supply:	230V AC / 50Hz
Temperature Range:	0°C to +10°C
Shelf:	6 nos.
Refrigerant:	R-290 / 54 gram
Compressor Capacity:	412W
Temperature Control:	Thermostat
Bottle Loading:	236 nos. Pint bottles

RBWH135



FEATURES :-

- Powder Coated Galvanized Inner and Outer Parts
- 2 Pane Tempered Glass
- R-290 Refrigeration System for Best Chilling Capacity
- No Sharp Edges or Corners at Accessible Area
- Full Height Handle for Door Opening
- Digital Temperature Indicator
- Plastic Coated Shelves for Rust Free Life
- Best in Class Motors

DISHWASHER



UNDERCOUNTER

WBY-50T-PDT

Dimensions (mm):	595 (W) x 645 (D) x 830 (H)
Electricity Consumption:	5.5 kW 220-240 V 50 Hz
Washing Capacity (Basket/hr):	35/27/23/20/18
Washing Tank Capacity:	27 ltr
Boiler Tank Capacity:	6 ltr
Washing Pump Power:	0.66 kW
Rinsing Pump Power:	0.25 kW
Washing Heat Power:	2 kW
Rinsing Heat Power:	5 kW
Max. Noise:	70 dBA

HOOD TYPE

WBM-1080-T

Dimensions (mm):	700 (W) x 785 (D) x 1480 (1960) (H)
Electricity Consumption:	9.66 kW 380 V 3NPE 50 Hz
Washing Capacity (Basket/hr):	69/35/27/23/18
Washing Tank Capacity:	22 ltr
Boiler Tank Capacity:	7 ltr
Washing Pump Power:	0.66 kW
Rinsing Pump Power:	0.25 kW
Washing Heat Power:	2 kW
Rinsing Heat Power:	9 kW
Max. Noise:	75 dBA

GLASSWASHER



UNDERCOUNTER

WBY-40T-PDT

Dimensions (mm):	475 (W) x 540 (D) x 765 (H)
Electricity Consumption:	3.3 kW 220-230V NPE 50 Hz
Washing Capacity (Basket/hr):	33/26/18
Washing Tank Capacity:	18.4 ltr
Boiler Tank Capacity:	2.8 ltr
Washing Pump Power:	0.31 kW
Washing Heat Power:	2 kW
Rinsing Heat Power:	3 kW
Max. Noise:	70 dBA



Heavy Duty



Easy Maintenance



Hygiene



Efficiency

PREMIUM UPRIGHT SERIES

304
STAINLESS
STEEL



CHILLER

HRWP77

Volume: 620 ltrs
Dimensions (with 90 mm leg): 700 (W) x 887 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 4 nos. of shelves

FREEZER

HFWP77

Volume: 620 ltrs
Dimensions (with 90 mm leg): 700 (W) x 887 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 4 nos. of shelves



CHILLER

HRWP147

Volume: 1350 ltrs
Dimensions (with 90 mm leg): 1400 (W) x 887 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -2°C to 12°C
Shelf: 8 nos. of shelves

FREEZER

HFWP147

Volume: 1350 ltrs
Dimensions (with 90 mm leg): 1400 (W) x 887 (D) x 1990 (H)
Power Supply: 230V AC / 50Hz
Temperature Range: -7°C to -25°C
Shelf: 8 nos. of shelves

FEATURES

- Door with integrated handle
- Reversible Door Option
- Integrated Fan guard in SS dew collector
- Auto Door Close
- Door Lock
- Big Controller Display
- Low maintenance MS Wire & tube powder coated
- Cleanable and replaceable antifungal grade magnetic gasket
- Top mounted Split type refrigeration system
- Powerful cooling
- Anti-condensate heat loop on cabinet
- Swing Canopy to access Controller box & Condensing unit

NSF READY SANITARY CONSTRUCTION



Easy to Clean



Rounded Inner
Cabinet Corners



No Sharp Edges
or Corners at
Accessible Area

CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on
Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

PREMIUM UNDER COUNTER SERIES

304
STAINLESS
STEEL



Volume:
Dimensions (with 150 mm leg):
Power Supply:
Temperature Range:
Shelf:

RTWP127-GN

282 ltrs
1200 (W) x 700 (D) x 850 (H)
230V AC / 50Hz
-2°C to 12°C
4 nos. of GN rail

CHILLER

FREEZER

FTWP127-GN

282 ltrs
1200 (W) x 700 (D) x 850 (H)
230V AC / 50Hz
-7°C to -23°C
4 nos. of GN rail



Volume:
Dimensions (with 150 mm leg):
Power Supply:
Temperature Range:
Shelf:

RTWP177-GN

436 ltrs
1660 (W) x 700 (D) x 850 (H)
230V AC / 50Hz
-2°C to 12°C
6 nos. of GN rail

CHILLER

FREEZER

FTWP177-GN

436 ltrs
1660 (W) x 700 (D) x 850 (H)
230V AC / 50Hz
-7°C to -23°C
6 nos. of GN rail

CUSTOMIZED CONTROLLER



Illuminated Logo



Big Size Display



Always on
Power Display



Soft Touch Buttons



Eco Mode



°C or °F Selection

NSF READY SANITARY CONSTRUCTION



Easy to Clean



Rounded Inner
Cabinet Corners



No Sharp Edges
or Corners at
Accessible Area